



Tork PeakServe® Continuous™ Hand Towel

100585

Think ahead.



Description

Tork PeakServe®: the latest innovation designed for high-traffic washrooms where staff needs to maximize cleaning time and maintain a good flow of people. Compatible with Tork PeakServe® Continuous™ hand towels, the system has a very high capacity of 2100 towels, which can be dispensed quickly and without interruption to keep the flow. The compressed refills are fast to fill, can be topped up at any time and are easy to store and transport, enabling staff to focus on cleaning, not refilling.

- Compressed hand towels for increased capacity, reducing maintenance time required
- Continuous hand towels dispense smoothly, even between bundles, for a better restroom flow with no hold ups for guests
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Universal
- Fast refilling
- High capacity

Product Certifications



Product Details

Print	No
Unfolded Width	20,1 cm
Folded width	20,1 cm
Embossing	No
Folded length	8 cm
Ply	1
Unfolded length	22,5 cm
System	H5
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540885590	7322540885606	7322540885712
Packaging Material	Banderole	Plastic	-
Pieces	410	4920 (12 CON)	221400 (45 TRP)
Height	100 mm	201 mm	1 155 mm
Length	84 mm	400 mm	1 200 mm
Width	201 mm	252 mm	800 mm
Gross Weight	529 g	6,41 kg	288,23 kg
Net Weight	519 g	6,23 kg	280,26 kg
Volume	1,69 dm3	20,26 dm3	0,91 m3
Layers Per Pallet	-	-	5
TRP Per Layer	-	-	9



Think ahead.

Tork PeakServe® Continuous™ Hand Towel

100585

Compatible Products



Tork PeakServe Continuous HT Disp Wh
552500



Tork PeakServe Continuous HT Disp Bl
552508



Tork PeakServe Mini Contin. HT Disp Wh
552550



Tork PeakServe Mini Contin. HT Disp Bl
552558

Environmental Information

Content

The product is made from

Virgin pulp

The packaging material is made from paper or plastic.

Material

Virgin fibres

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (is used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fiber loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	This product is certified for the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC®.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 09-05-2022 Revision date: 25-09-2025
Production	This product is produced at Mannheim - DE mill and certified according to IFS, ISO 9001, ISO 14001 (Environmental management systems), CoC-PEFC, EMAS (eco-management and audit scheme), ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.

Essity Hygiene and Health AB, 405 03 GÖTEBORG, Sweden